

according to Regulation (EC) No 1907/2006

	ASEPTOMAN MED		
Revision date: 01.02.2022	Product code: 00320-0244-0	GHS	Page 1 of 10
SECTION 1: Identification of	the substance/mixture and of the	company/undertaking	
1.1. Product identifier ASEPTOMAN MED			
1.2. Relevant identified uses of	the substance or mixture and uses a	<u>dvised against</u>	
Use of the substance/mixtur	e		
Hand disinfectant			
1.3. Details of the supplier of th	<u>e safety data sheet</u>		
Company name:	Dr. Schumacher GmbH		
Street:	Am Roggenfeld 3		
Place:	34323 Malsfeld / DEUTSCHLAND		
Telephone:	+49 (0) 5664/9496-0	Telefax:+49 (0) 5664/8444	
e-mail:	post@schumacher-online.com		
Internet:	www.schumacher-online.com		
Responsible Department:	Responsible for the safety data shee	et: sds@gbk-ingelheim.de	
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 6132 - 8	34463, GBK GmbH (24h - 7d/w - 1	365d/a)
number:	In England and Wales: NHS 111 In S	Scotland: NHS 24 - dial 111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Highly flammable liquid and vapour. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation	(EC) No	o. 1272/2008
------------	---------	--------------

Signal word: Danger

Pictograms:



Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

ecautionaly statem	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to approved disposal company or local collection.



according to Regulation (EC) No 1907/2006

ASEPTOMAN MED

Revision date: 01.02.2022

Product code: 00320-0244-GHS

Page 2 of 10

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	Ethanol			65 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2	; H225 H319	·	
112-72-1	Tetradecanol			< 1 %
	204-000-3		01-2119485910-33	
	Eye Irrit. 2, Aquatic Chr	onic 1; H319 H410		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-17-5	200-578-6	Ethanol	65 %
Eye Irrit. 2; H319: >= 50 - 100			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of symptoms refer for medical treatment.

After contact with skin

No specific precautions required.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

After ingestion

Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Seek medical treatment immediately.



according to Regulation (EC) No 1907/2006

ASEPTOMAN MED

Revision date: 01.02.2022

Product code: 00320-0244-GHS

Page 3 of 10

If swallowed or in the event of vomiting, risk of entering the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Inhalation of vapours in high concentration can cause narcotic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire may produce: carbon monoxide and carbon dioxide Risk of formation of toxic pyrolysis products.

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Vapours are heavier than air and spread along ground. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure adequate ventilation. Keep away sources of ignition. Keep away noninvolved persons.

For non-emergency personnel

Do not breathe vapours.

Avoid contact with skin, eyes and clothing.

For emergency responders

In case of vapour formation use respirator. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.



according to Regulation (EC) No 1907/2006

ASEPTOMAN MED

Revision date: 01.02.2022

Product code: 00320-0244-GHS

Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Use solvent-resistant equipment. Avoid spilling or spraying in enclosed areas.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures against electrostatically charging. Vapours are heavier than air and spread along ground. Vapour/air mixture is explosive, even in empty uncleaned receptacles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place. Protect containers from heat / overheating. Keep only in original container.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Hand disinfectant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not breath vapours or spray mist.

When using do not eat, drink or smoke.

Avoid contact with eyes.

Remove and wash contaminated clothes before re-use.

Eye/face protection

If used properly, no need to wear eye protection. Otherwise wear protective goggles with integrated side shields.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).



according to Regulation (EC) No 1907/2006

ASEPTOMAN MED

Revision date: 01.02.2022

Product code: 00320-0244-GHS

Page 5 of 10

SECTION 9: Physical and chemical properties

Physical state:	Liquid		
Colour:	Colourless		
Ddour:	Alcoholic		
			Test method
H-Value (at 20 °C):		5,5 - 8,0	
Changes in the physical state			
/lelting point/freezing point:		- 114 °C	,
Boiling point or initial boiling point and poiling range:	d	78 °C	*)
Sublimation point:		n.a.	
Softening point:		n.d.	
lash point:		21 °C	
Sustaining combustion:		Sustaining combustion	
lammability			
Solid/liquid:		n.a.	
Gas:		n.a.	
Explosive properties The product is considered non-ex	plosive; nevertheless e	plosive vapour/air mixtu	re can be generated
ower explosion limits:		3,1 vol. %	*)
Jpper explosion limits:		27,7 vol. %	*)
Auto-ignition temperature:		400 °C	*)
Self-ignition temperature			
Solid:		n.a.	
Gas:		n.a.	
Decomposition temperature:		n.d.	
Dxidizing properties Not oxidising.			
/apour pressure: (at 20 °C)		58 hPa	*)
Density (at 20 °C):		0,875 - 0,885 g/cm³	
Bulk density:		n.a.	
Vater solubility: (at 20 °C)		Miscible	
Solubility in other solvents n.d.			
Partition coefficient n-octanol/water:		n.d.	
/iscosity / dynamic:		n.d.	
/iscosity / kinematic:		n.d.	
low time:		n.d.	
Relative vapour density:		n.d.	
Evaporation rate:		n.d.	
		n.u.	



according to Regulation (EC) No 1907/2006

ASEPTOMAN MED

Revision date: 01.02.2022

Product code: 00320-0244-GHS

65 %

Page 6 of 10

Solvent content:

9.2. Other information

*) Ethanol

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming. Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

No hazardous decomposition products known. Fire may produce:

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Inhalation of vapours in high concentration can cause narcotic effects. Components of the product may be absorbed into the body through the skin. May cause irritation of the mucous membranes.



according to Regulation (EC) No 1907/2006

ASEPTOMAN MED

Revision date: 01.02.2022

Product code: 00320-0244-GHS

Page 7 of 10

Defatting to skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available

Ethanol: Readily biodegradable (to OECD criteria).

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Low hazard to waters.

Further information

Do not discharge into surface waters/groundwater.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

List of Wastes Code - residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.


SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3



according to Regulation (EC) No 1907/2006





according to Regulation (EC) No 1907/2006

	ASEPTOMAN MED	
Revision date: 01.02.2022	Product code: 00320-0244-GHS	Page 9 of 10
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	364 60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for userTake the usual precautions when h14.7. Maritime transport in bulk accordThe transport takes place only in a	•	
SECTION 15: Regulatory information	on	
15.1. Safety, health and environmental	regulations/legislation specific for the substance	or mixture
EU regulatory information		
Restrictions on use (REACH, annex X Entry 3, Entry 40	VII):	
2004/42/EC (VOC):	65 %	
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles ac work protection guideline' (94/33/EC). Observe emp	

Water hazard class (D):

nursing mothers. 1 - slightly hazardous to water

under the Maternity Protection Directive (92/85/EEC) for expectant or

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

Changes in section: 2,6,11,12,16

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
- IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative



according to Regulation (EC) No 1907/2006

ASEPTOMAN MED

Revision date: 01.02.2022

Product code: 00320-0244-GHS

Page 10 of 10

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

The provision of the safety data sheet does not automatically guarantee the marketability of the product. (n.a. = not applicable; n.d. = not determined)

'The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)